


Tree Protection Fencing Detail



1 PHOTO - TREES TO BE REMOVED AND RELOCATED

Schedule A

Protection Barrier Distance from Tree Section 1.2

TRUNK DIAMETER	MINIMUM PROTECTION REQUIRED AROUND TREE
Trunk diameter	Distance from trunk
20 cm	1.2 m
25	1.5
30	1.8
35	2.1
40	2.4
45	2.7
50	3.0
55	3.3
60	3.6
75	4.5
90	5.0
100	6.0

TREE INVENTORY

#	Type	Action	DBH	MPZ
7	London Plane	Remove	54cm	3.2m
8	London Plane	Remove	7cm	1.4m
9	London Plane	Remove	43cm	2.6m
10	London Plane	Remove	58cm	3.5m
11	London Plane	Remove	43cm	2.6m
12	London Plane	Remove	65cm	3.9m
13	Norway Spruce	Remove	56cm	3.4m
14	Norway Spruce	Remove	47cm	2.8m
15	Norway Spruce	Remove	43cm	2.6m
16	Norway Spruce	Remove	58cm	3.5m
17	London Plane	Retain	33cm	2.0m
19	Copper Beech	Retain	28cm	1.7m
25	Kousa Dogwood	Remove	15/10/8	2.0m
26	Japanese Maple	Remove	15/15/15	2.0m
27	Japanese Maple	Remove	18/18cm	2.0m
28	Norway Spruce	Remove	38cm	2.3m
29	Norway Spruce	Remove	40cm	2.4m
30	Norway Spruce	Remove	32cm	1.9m
31	Norway Spruce	Remove	28cm	1.7m
32	Japanese Maple	Remove	12/10/10cm	2.0m
33	Norway Spruce	Remove	34cm	2.0m
34	Norway Spruce	Remove	32cm	1.9m
35	Norway Spruce	Remove	34cm	2.0m
36	Norway Spruce	Remove	35cm	2.1m
37	Norway Spruce	Remove	35cm	2.1m

***SEE CERTIFIED ARBORISTS TREE PROTECTION PLAN BY FROGGERS CREEK TREE CONSULTANTS LTD.

LEGEND

- 1 L2 PROPOSED FENCE
- EXISTING TREE TO REMAIN
- 12 EXISTING TREE TO BE REMOVED
- EXISTING TREE TO BE RELOCATED
- EXISTING CONCRETE SIDEWALK TO BE REMOVED
- 2 L2 PROPOSED CONCRETE SIDEWALK
- PROPOSED SOD AREA

